



CHANGZHOU FENFEI TECHNOLOGY CO.,LTD

Commercial Refrigeration

Drawer Refrigerators / Freezers P1-2

Reach-in Refrigerators

- Refrigerators P3-5
- Freezers P6-7
- Dual Temperature P8-11

Undercounter & Worktop Refrigerators

- Undercounter Refrigerators P12-14
- Undercounter Freezers P15-19

- Worktop Refrigerators P20-22

- Worktop freezers P23-27

Food Prep Tables

- Sandwich Prep Tables P28-30

- Pizza Prep Tables P331-32

Chef Bases P33-34



NE-356S	
Copacity:	110L
Inner Temperature:	1 ~ 10°C
Bottles:	Approximately 80pot
Shelves:	2 drawers
Power:	80W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size:	375*580*870-920mm
Packing size:	445*660*915mm
Net weight/Gross weight:	35/39kg
Loading quantily(20/40/40HQ)	120/255/306



NE-356	
Copacity:	145L
Inner Temperature:	1 ~ 10°C
Bottles:	154cans
Shelves:	2 drawers
Power:	87W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size:	595*560*820-870mm
Packing size:	665*665*920mm
Net weight/Gross weight:	40/45kg
Loading quantily(20/40/40HQ)	54/108/152



NE-358	
Copacity:	145L
Inner Temperature:	-18 ~ 0°C
Bottles:	154cans
Shelves:	2 drawers
Power:	87W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size:	595*560*820-870mm
Packing size:	665*665*920mm
Net weight/Gross weight:	40/45kg
Loading quantily(20/40/40HQ)	54/108/152



NE-359	
Copacity:	145L
Inner Temperature:	0 ~ 10°C/-18 ~ 0°C
Bottles:	154cans
Shelves:	2 drawers
Power:	87W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size:	595*560*820-870mm
Packing size:	665*665*920mm
Net weight/Gross weight:	40/45kg
Loading quantily(20/40/40HQ)	54/108/152



NE-391	
Copacity:	150L
Inner Temperature:	0 ~ 10°C
Climatic Class:	5 (40 °C & 80% R.H)
Energy Consumption:	1.8Kwh/24H
Power:	180W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size: Packing size:	610*610*865mm 710*710*965mm
Net weight/Gross weight:	45/50kg
Loading quantily(20/40/40HQ)	56/112/112



NE-392	
Copacity:	150L
Inner Temperature:	0 ~ 10°C
Climatic Class:	5 (40 °C & 80% R.H)
Energy Consumption:	1.8Kwh/24H
Power:	180W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size: Packing size:	610*610*865mm 710*710*965mm
Net weight/Gross weight:	45/50kg
Loading quantily(20/40/40HQ)	56/112/112



NE-393	
Copacity:	140L
Inner Temperature:	-18 ~ 0°C
Climatic Class:	5 (40 °C & 80% R.H)
Energy Consumption:	4.2Kwh/24H
Power:	250W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size: Packing size:	610*610*865mm 710*710*965mm
Net weight/Gross weight:	45/50kg
Loading quantily(20/40/40HQ)	56/112/112



NE-394	
Copacity:	140L
Inner Temperature:	-18 ~ 0°C
Climatic Class:	5 (40 °C & 80% R.H)
Energy Consumption:	4.2Kwh/24H
Power:	250W
Refrigerant:	R600a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
Product size: Packing size:	610*610*865mm 710*710*965mm
Net weight/Gross weight:	45/50kg
Loading quantily(20/40/40HQ)	56/112/112



NE-801	
Copacity:	450L
Inner Temperature:	0 ~ 10°C
Door:	1 door
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	76kg



NE-802	
Copacity:	450L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	76kg



NE-803	
Copacity:	450L
Inner Temperature:	0 ~ 10°C
Door:	1 door, 3 drawers
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	86kg



NE-804	
Copacity:	450L
Inner Temperature:	0 ~ 10°C
Door:	1 door
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-805	
Copacity:	450L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-806	
Copacity:	450L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-811	
Copacity:	980L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	130kg



NE-812	
Copacity:	980L
Inner Temperature:	0 ~ 10°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	130kg



NE-813	
Copacity:	980L
Inner Temperature:	0 ~ 10°C
Door:	2 doors, 6 drawers
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	152kg



NE-814	
Copacity:	980L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	450W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	152kg



NE-815	
Copacity:	980L
Inner Temperature:	0 ~ 10°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	450W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	152kg



NE-816	
Copacity:	980L
Inner Temperature:	0 ~ 10°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	450W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	152kg



NE-821	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	650W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	192kg



NE-822	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	650W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	192kg



NE-823	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C
Door:	3 doors, 9 drawers
Cooling Type:	Air cooling
Power:	650W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	252kg



NE-824	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	680w
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	232kg



NE-825	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	680w
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	232kg



NE-826	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	680w
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	232kg



NE-831	
Copacity:	450L
Inner Temperature:	-20 ~ -5°C
Door:	1 door
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	79kg



NE-832	
Copacity:	450L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	79kg



NE-833	
Copacity:	450L
Inner Temperature:	-20 ~ -5°C
Door:	1 door, 3 drawers
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	89kg



NE-834	
Copacity:	450L
Inner Temperature:	-20 ~ -5°C
Door:	1 door
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-835	
Copacity:	450L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-836	
Copacity:	450L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-841	
Copacity:	980L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	630W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	136kg



NE-842	
Copacity:	980L
Inner Temperature:	-20 ~ -5°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	630w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	136kg



NE-843	
Copacity:	980L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors, 6 drawers
Cooling Type:	Air cooling
Power:	630w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-844	
Copacity:	980L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	450W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-845	
Copacity:	980L
Inner Temperature:	-20 ~ -5°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	450W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-846	
Copacity:	980L
Inner Temperature:	-20 ~ -5°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	450W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-851	
Copacity:	1520L
Inner Temperature:	-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	930W
Refrigerant:	R290a/R314a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	203kg



NE-852	
Copacity:	1520L
Inner Temperature:	-20 ~ -5°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	930W
Refrigerant:	R290a/R314a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	203kg



NE-853	
Copacity:	1520L
Inner Temperature:	-20 ~ -5°C
Door:	3 doors, 9 drawers
Cooling Type:	Air cooling
Power:	930W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-854	
Copacity:	1520L
Inner Temperature:	-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	930w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-855	
Copacity:	1520L
Inner Temperature:	-20 ~ -5°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	930w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-856	
Copacity:	1520L
Inner Temperature:	-20 ~ -5°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	930w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-861	
Copacity:	450L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	79kg



NE-862	
Copacity:	450L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	1 door, 3 drawers
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	89kg



NE-863	
Copacity:	450L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-864	
Copacity:	450L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	420W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	620*760*1930mm
Net weight:	83kg



NE-871	
Copacity:	980L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	630W
Refrigerant:	R290a/R314a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	136kg



NE-872	
Copacity:	980L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors, 6 drawers
Cooling Type:	Air cooling
Power:	630W
Refrigerant:	R290a/R314a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	136kg



NE-873	
Copacity:	980L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	3 doors, 6 drawers
Cooling Type:	Air cooling
Power:	630W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-874	
Copacity:	980L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	630W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-875	
Copacity:	980L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	630W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-876	
Copacity:	980L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	4 doors
Cooling Type:	Air cooling
Power:	630W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1210*760*1930mm
Net weight:	162kg



NE-881	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	930W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	203kg



NE-882	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	930W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	203kg



NE-883	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	6 doors,9 drawers
Cooling Type:	Air cooling
Power:	930w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-884	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	930w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-885	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	930w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-886	
Copacity:	1520L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	6 doors
Cooling Type:	Air cooling
Power:	930w
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1810*760*1930mm
Net weight:	262kg



NE-351-F	
Copacity:	96L
Inner Temperature:	0 ~ 10°C
Bottles:	100cans
Shelves:	4 metal shelves
Power:	52W
Refrigerant:	R600a
Voltage:	110V ~ 240V / 50Hz ~ 60Hz
Product size: Packing size:	375*575*870-920mm 445*660*915mm
Net weight/Gross weight:	32.5/36.7kg
Loading quantily(20/40/40 HQ)	105/224/260

NE-355A-F	
Copacity:	130L
Inner Temperature:	0 ~ 10°C
Bottles:	132cans
Shelves:	4 metal shelves
Power:	87W
Refrigerant:	R600a
Voltage:	110V ~ 240V / 50Hz ~ 60Hz
Product size: Packing size:	595*570*820-870mm 665*665*920mm
Net weight/Gross weight:	40/45kg
Loading quantily(20/40/40 HQ)	54/108/152

NE-355B-F	
Copacity:	140L
Inner Temperature:	0 ~ 10°C
Bottles:	142cans
Shelves:	4 metal shelves
Power:	87W
Refrigerant:	R600a
Voltage:	110V ~ 240V / 50Hz ~ 60Hz
Product size: Packing size:	595*595*870-920mm 720*720*960mm
Net weight/Gross weight:	40/45kg
Loading quantily(20/40/40 HQ)	54/108/135



NE-901	
Copacity:	180L
Inner Temperature:	0 ~ 10°C
Door:	1 door
Cooling Type:	Air cooling
Power:	260W
Refrigerant:	R290a
Voltage:	110V ~ 240V / 50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	52kg

NE-902	
Copacity:	180L
Inner Temperature:	0 ~ 10°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	260W
Refrigerant:	R290a
Voltage:	110V ~ 240V / 50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	65kg

NE-903	
Copacity:	180L
Inner Temperature:	0 ~ 10°C
Door:	1 door
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V / 50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	56kg



NE-910	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	65kg



NE-912	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	1 door, 2 drawers
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	78kg



NE-913	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	88kg



NE-914	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	71kg



NE-921	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800 mm
Net weight:	92kg

NE-922	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800 mm
Net weight:	122kg

NE-923	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	9 drawers
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800 mm
Net weight:	122kg



NE-924	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	1 door, 5 drawers
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	122kg

NE-925	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	102kg



NE-357A-F	
Copacity:	130L
Inner Temperature:	-18 ~ -10°C
Bottles:	132cans
Shelves:	4 metal shelves
Power:	87W
Refrigerant:	R600a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
Product size: Packing size:	595*570*820-870mm 665*665*920mm
Net weight/Gross weight:	43/49kg
Loading quantily(20/40/40HQ)	54/108/152



NE-357B-F	
Copacity:	140L
Inner Temperature:	-18 ~ -10°C
Bottles:	142cans
Shelves:	4 metal shelves
Power:	87W
Refrigerant:	R600a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
Product size: Packing size:	595*595*870-920mm 720*720*960mm
Net weight/Gross weight:	43/49kg
Loading quantily(20/40/40HQ)	54/108/135



NE-931	
Copacity:	180L
Inner Temperature:	-20 ~ -5°C
Door:	1 door
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	55kg



NE-932	
Copacity:	180L
Inner Temperature:	-20 ~ -5°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	73kg



NE-933	
Copacity:	180L
Inner Temperature:	-20 ~ -5°C
Door:	1 door
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	56kg



NE-941	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	68kg



NE-942	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	1 door, 2 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	81kg



NE-943	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	92kg



NE-944	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	71kg



NE-951	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Weight:	96kg

NE-952	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Weight:	126kg

NE-953	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	9 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Weight:	126kg



NE-954	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	1 door, 5 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Weight:	126kg

NE-955	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Weight:	102kg



NE-961	
Copacity:	180L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	73kg

NE-971	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	68kg

NE-972	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	1 door, 2 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	81kg



NE-973	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	92kg

NE-974	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	71kg



NE-981	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	96kg

NE-982	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg

NE-983	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	9 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg



NE-984	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	1 door, 5 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg

NE-985	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	102kg



NE-1001	
Capacity:	180L
Inner Temperature:	0 ~ 10°C
Door:	1 door
Cooling Type:	Air cooling
Power:	260W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	52kg

NE-1002	
Capacity:	180L
Inner Temperature:	0 ~ 10°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	260W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	65kg

NE-1003	
Capacity:	180L
Inner Temperature:	0 ~ 10°C
Door:	1 door
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	56kg



NE-1011	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	65kg

NE-1012	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	1 door, 2 drawers
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	78kg



NE-1013	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	88kg

NE-1014	
Copacity:	290L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	71kg



NE-1021	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	92kg

NE-1022	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800 mm
Net weight:	122kg

NE-1023	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	9 drawers
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800 mm
Net weight:	122kg



NE-1024	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	1 door, 5 drawers
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	122kg

NE-1025	
Copacity:	500L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	102kg



NE-1031	
Copacity:	180L
Inner Temperature:	-20 ~ -5°C
Door:	1 door
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	55kg

NE-1032	
Copacity:	180L
Inner Temperature:	-20 ~ -5°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	73kg

NE-1033	
Copacity:	180L
Inner Temperature:	-20 ~ -5°C
Door:	1 door
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	56kg



NE-1041	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	68kg

NE-1042	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	1 door, 2 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	81kg



NE-1043	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	92kg

NE-1044	
Copacity:	290L
Inner Temperature:	-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	71kg



NE-1051	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	96kg

NE-1052	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg

NE-1053	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	9 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg



NE-1054	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	1 door, 5 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg

NE-1055	
Copacity:	500L
Inner Temperature:	-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	102kg



NE-1061	
Copacity:	180L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760/600*800mm
Net weight:	73kg

NE-1071	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	68kg

NE-1072	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	1 door, 2 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	81kg



NE-1073	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	340W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	92kg

NE-1074	
Copacity:	290L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500*760/600*800mm
Net weight:	71kg



NE-1081	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	96kg

NE-10582	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg

NE-1083	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	9 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg



NE-1084	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	1 door, 5 drawers
Cooling Type:	Air cooling
Power:	430W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	126kg

NE-1085	
Copacity:	500L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	320W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*760/600*800mm
Net weight:	102kg



NE-1101	
Copacity:	150L
Inner Temperature:	0 ~ 10°C
Door:	1 door
Cooling Type:	Air cooling
Power:	240W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	700*760*1000mm
Net weight:	58kg

NE-1102	
Copacity:	310L/390L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	280/310W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760*1000 mm
Net weight:	78/92kg

NE-1103	
Copacity:	480L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	350W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760*1000mm
Net weight:	112kg



NE-1111	
Copacity:	0-10°C
Inner Temperature:	1/3*5
Cooling Type:	Static Cooling
Power:	230W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200*395*435mm
Net weight:	48kg



NE-1112	
Copacity:	0-10°C
Inner Temperature:	1/3*6
Cooling Type:	Static Cooling
Power:	260W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1500*395*435mm
Net weight:	63kg



NE-1113	
Copacity:	0 ~ 10°C
Inner Temperature:	1/3*8
Cooling Type:	Static Cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*395*435mm
Net weight:	78kg



NE-1114	
Copacity:	0 ~ 10°C
Inner Temperature:	1/3*9
Cooling Type:	Static Cooling
Power:	300W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	2000*395*435m
Net weight:	80kg



NE-1121	
Copacity:	270L
Inner Temperature:	0 ~ 10°C
Door:	1/3*9
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200*900*1450mm
Net weight:	98kg

NE-1122	
Copacity:	380L
Inner Temperature:	0 ~ 10°C
Door:	1/3*12
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1500*900*1450mm
Net weight:	120kg

NE-1123	
Copacity:	480L
Inner Temperature:	0 ~ 10°C
Door:	1/3*15
Cooling Type:	Air cooling
Power:	360W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*900*1450mm
Net weight:	145kg



NE-1151	
Copacity:	300/420/540L
Inner Temperature:	0 ~ 10°C
Door:	2 doors
Cooling Type:	Air cooling
Power:	290/310/350W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500/1800*800*980mm
Net weight:	81/93/123kg



NE-1152	
Copacity:	300/420/540L
Inner Temperature:	0 ~ 10°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	290/310/350W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200/1500/1800*800*980mm
Net weight:	115/138/163kg



NE-1153	
Copacity:	780L
Inner Temperature:	0 ~ 10°C
Door:	3 doors
Cooling Type:	Air cooling
Power:	550W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	2300*800*980mm
Net weight:	183kg



NE-1154	
Copacity:	780L
Inner Temperature:	0 ~ 10°C
Door:	1 door+4 drawers
Cooling Type:	Air cooling
Power:	550W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	2300*800*980mm
Net weight:	238kg



NE-1161	
Copacity:	300L
Inner Temperature:	0-10°C
Door:	1/3*6
Cooling Type:	Air cooling
Power:	290W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1200*800*980mm
Net weight:	81kg



NE-1162	
Copacity:	420L
Inner Temperature:	0-10°C
Door:	1/3*7
Cooling Type:	Air cooling
Power:	310W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1500*800*980mm
Net weight:	93kg



NE-1163	
Copacity:	540L
Inner Temperature:	0 ~ 10°C
Door:	1/3*9
Cooling Type:	Air cooling
Power:	350W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	1800*800*980mm
Net weight:	123kg



NE-1164	
Copacity:	780L
Inner Temperature:	0 ~ 10°C
Door:	1/3*12
Cooling Type:	Air cooling
Power:	550W
Refrigerant:	R290a
Voltage:	110V ~ 240V/50Hz ~ 60Hz
External dimensions:	2300*800*980mm
Net weight:	183kg



NE-1181	
Copacity:	100L
Inner Temperature:	0 ~ 10°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	250W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760*600mm
Net weight:	58kg

NE-1182	
Copacity:	170L
Inner Temperature:	0 ~ 10°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760*600mm
Net weight:	78kg

NE-1183	
Copacity:	230L
Inner Temperature:	0 ~ 10°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	350W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760*600mm
Net weight:	112kg



NE-1184	
Copacity:	100L
Inner Temperature:	-20 ~ -5°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	250W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760*600mm
Net weight:	58kg

NE-1185	
Copacity:	170L
Inner Temperature:	-20 ~ -5°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760*600mm
Net weight:	78kg

NE-1186	
Copacity:	230L
Inner Temperature:	-20 ~ -5°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	350W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760*600mm
Net weight:	112kg



NE-1187	
Copacity:	100L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	2 drawers
Cooling Type:	Air cooling
Power:	250W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	900*760*600mm
Net weight:	58kg

NE-1188	
Copacity:	170L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	4 drawers
Cooling Type:	Air cooling
Power:	280W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1200/1500*760*600mm
Net weight:	78kg

NE-1189	
Copacity:	230L
Inner Temperature:	0 ~ 10°C/-20 ~ -5°C
Door:	6 drawers
Cooling Type:	Air cooling
Power:	350W
Refrigerant:	R290a
Voltage:	110V ~ 240V /50Hz ~ 60Hz
External dimensions:	1800*760*600mm
Net weight:	112kg



WECHAT



WHATSAPP

CHANGZHOU FENFEI TECHNOLOGY CO,LTD

**BANSHANG STREET,LIJIA,WUJIN DISTRICT,CHANGZHOU CITY,
JIANGSU PROVINCE,CHINA,213165**

TEL:+86 519 86731588

E-mail:leo@nuelead.com

www.nuelead.com