





CHANGZHOU FENFEI TECHNOLOGY CO.,LTD

Wine Cooler / Beverage Cooler



COMPANY INTRODUCTION



Changzhou Fenfei Technology Co., Ltd. is located in Changzhou, Jiangsu Province, China. We specialise in the development and production of refrigeration equipment. Our team has 20 years of refrigeration experience. Our products are of stable quality and we mainly undertake OEM and ODM orders for major brands. Our own brand is NUELEAD.

Our products are refrigerators, freezers, constant temperature wine cabinets, cigar cabinets, ice machines and other refrigeration products. Our factory is well-equipped with ISO9001 quality system standard and our products have obtained international quality certificates such as CE, CCC etc.

Our products are sold well in the USA, Canada, UK, France, Spain, Australia, Japan and Korea. NUELEAD takes quality as the basis of survival and pursues win-win situation with customers.



Wine Cooler / Beverage Cooler

Front Venting Aids In Heat Dissipation



Air Cooling System
Speical Front Ventilation Design



Frequency conversion technique
Shock absorption and noise reduction



Activated carbon filtration system
to ensure pure air



Smart Digital Touch Control



Sturdy Wood Shelves



Innovative hidden hinge



Cold Ligth source



Stainless Steel Door Handle



Adjustable Feet

NE-351

Refrigerator

1 ~ 10℃



SS+BK



BK

Zone: Single	Climate type: N/SN
Capacity: 96L	Refrigerant: R600a
Bottles: 100 cans	Rated Power: 52W
Shelves: 4 metal shelves	
Temperature range: 1-10℃(34-50°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 32.5/36.7KG	
Product size(WxDxH): 375×575×870mm	
Packing size(WxDxH): 445×660×915mm	
Loading quantity(20/40/40HQ): 105/224/260	

NE-352

Refrigerator

1 ~ 10℃



SS+BK



BK

Zone: Single	Climate type: N/SN
Capacity: 110L	Refrigerant: R600a
Bottles: 100 cans	Rated Power: 87W
Shelves: 3 glass drawers	
Temperature range: 1-10℃(34-50°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 45/51KG	
Product size(WxDxH): 595×595×870mm	
Packing size(WxDxH): 720×720×960mm	
Loading quantity(20/40/40HQ): 54/ 108 /135	

NE-353

Refrigerator

1 ~ 10℃



SS+BK



BK

Zone: Single	Climate type: N/SN
Capacity: 140L	Refrigerant: R600a
Bottles: 154 cans	Rated Power: 87W
Shelves: 4 metal shelves	
Temperature range: 1-10℃(34-50°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 45/51KG	
Product size(WxDxH): 595×590×870mm	
Packing size(WxDxH): 665×665×920mm	
Loading quantity(20/40/40HQ): 54/ 108 /152	

NE-354

Refrigerator

1 ~ 10℃



SS+BK



BK

Zone: Single	Climate type: N/SN
Capacity: 145L	Refrigerant: R600a
Bottles: 154 cans	Rated Power: 87W
Shelves: 3 glass drawers	
Temperature range: 1-10℃(34-50°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 45/51KG	
Product size(WxDxH): 595×555×820mm	
Packing size(WxDxH): 665×665×920mm	
Loading quantity(20/40/40HQ): 54/ 108 /152	

NE-355A (130L)

Refrigerator

1 ~ 10℃



SS



SS+BK

Zone:Single	Climate type: N/SN
Capacity:130L	Refrigerant: R600a
Bottles: 132cans	Rated Power: 87W
Shelves: 4 metal shelves	
Temperature range: 1-10℃(34-50°F)	
Voltage:220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight:40/45KG	
Product size(WxDxH):595x570x820~870mm	
Packing size(WxDxH):665×665×920mm	
Loading quantity(20/40/40HQ):54/ 108/152	

NE-355B (140L)

Refrigerator

1 ~ 10℃



SS




SS+BK

Zone:Single	Climate type: N/SN
Capacity:140L	Refrigerant: R600a
Bottles: 142cans	Rated Power: 87W
Shelves: 4 metal shelves	
Temperature range: 1-10℃(34-50°F)	
Voltage:220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight:40/45KG	
Product size(WxDxH):595x595x870~920mm	
Packing size(WxDxH):720x720x960mmmm	
Loading quantity(20/40/40HQ):54/ 108/135	

NE-357A (130L)

Freezer



-18 ~ 10℃



SS




SS+BK

Zone:Single	Climate type: N/SN
Capacity:130L	Refrigerant: R600a
Bottles: 132cans	Rated Power: 87W
Shelves: 4 metal shelves	
Temperature range: -18~10℃(34-50°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 43/49KG	
Product size(WxDxH): 595x570x820~870mm	
Packing size(WxDxH): 665×665×920mm	
Loading quantity(20/40/40HQ): 54/ 108/152	

NE-357B (140L)

Freezer



-18 ~ 10℃



SS



SS+BK

Zone:Single	Climate type: N/SN
Capacity:140L	Refrigerant: R600a
Bottles: 142cans	Rated Power: 87W
Shelves: 4 metal shelves	
Temperature range: -18~10℃(34-50°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 43/49KG	
Product size(WxDxH): 595x595x870~920mm	
Packing size(WxDxH): 720x720x960mm	
Loading quantity(20/40/40HQ): 54/ 108/135	

NE-356S (Slim)

Refrigerator

1 ~ 10°C



SS+BK

Zone:Single	Climate type: N/SN
Capacity:110L	Refrigerant: R600a
Shelves: 2 drawers	Rated Power: 80W
Bottes: Approximately 80 pot	
Temperature range: 1-10°C(34-50°F)	
Voltage:220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight:35/39KG	
Product size(WxDxH):375 x 580 x 870~920mm	
Packing size(WxDxH):445×660×915mm	
Loading quantity(20/40/40HQ):120/ 255/306	

NE-356

Refrigerator

1 ~ 10°C



SS



SS+BK




BK

Zone:Single	Climate type: N/SN
Capacity:145L	Refrigerant: R600a
Bottes: 154cans	Rated Power: 87W
Shelves: 2 drawers	
Temperature range: 1-10°C(34-50°F)	
Voltage:220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight:40/45KG	
Product size(WxDxH):595 x 560 x 820~870mm	
Packing size(WxDxH):665×665×920mm	
Loading quantity(20/40/40HQ):54/ 108/152	

NE-358

Freezer

 -18 ~ 10°C



SS



SS+BK




BK

Zone:Single	Climate type: N/SN
Capacity: 145L	Refrigerant: R600a
Bottes: 99 cans	Rated Power: 87W
Shelves: 2 drawers	
Temperature range: -18-10°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 46/52KG	
Product size(WxDxH): 595x560x820~870mm	
Packing size(WxDxH): 665×665×920mm	
Loading quantity(20/40/40HQ): 54/ 108/152	

NE-359

Dual -Zone

1 ~ 10°C

 -18 ~ 0°C



SS



SS+BK



BK

Zone:Single	Climate type: N/SN
Capacity: 145L	Refrigerant: R600a
Bottes: 99cans	Rated Power: 87W
Shelves: 2 drawers	
Temperature range: 0-10°C; -18-0°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 47/53KG	
Product size(WxDxH): 595 x 560 x 820~870mm	
Packing size(WxDxH): 665×665×920mm	
Loading quantity(20/40/40HQ): 54/ 108/152	

Dual Zone : 5~22°C/0~10°C

NE-361

Zone: Single	Climate type: N/SN
Capacity: 51L + 51L	Refrigerant: R600a
Bottles: 99 bottles + 99cans	Rated Power: 160W
Shelves: 9 Beech wood frame + 2 drawers	
Temperature range: 5-22°C; 0-10°C	
Humidity range: 60-70%	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 117/126KG	
Product size(WxDxH): 595 x 680 x1800mm	
Packing size(WxDxH): 660x770x1840mm	
Loading quantity(40GP): 48	



Dual Zone : 5~22°C/0~10°C

NE-362

Zone: Dual	Climate type: N/SN
Capacity: 706L + 54L	Refrigerant: R600a
Bottles: 150 bottles + 126 cans + 90 cans	
Rated Power: 180W	
Shelves: 6 Beech wood frame + 2 drawers	
Temperature range: 5-22°C; 0-10°C	
Humidity range: 60-70%	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 168/175KG	
Product size(WxDxH): 820 x 700 x2012mm	
Packing size(WxDxH): 900×815×2065mm	
Loading quantity(40GP): 32	



NE-371

Zone: Single	Climate type: SN/ST/N
Capacity: 150L	Refrigerant: R600a
Rated Power: 125W	
Shelves: 8 shelves	
Temperature range: 0-22°C (32-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 53 / 58KG	
Product size(WxDxH): 470x530x1640mm	
Packing size(WxDxH): 500x550x1700mm	
Loading quantity (20/40/40HQ):	



NE-372

Zone: Single	Climate type: SN/ST/N
Capacity: 208L	Refrigerant: R600a
Rated Power: 125W	
Shelves: 4 shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 58 / 63KG	
Product size(WxDxH): 598x535x1250mm	
Packing size(WxDxH): 660x640x1300mm	
Loading quantity (20/40/40HQ):	



NE-373

Zone: Single	Climate type: SN/ST/N
Capacity: 308L	Refrigerant: R600a
Rated Power: 125W	
Shelves: 5 shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 68 / 73KG	
Product size(WxDxH): 598x535x1650mm	
Packing size(WxDxH): 660x640x1700mm	
Loading quantity (20/40/40HQ):	



NE-374

Zone: Dual	Climate type: SN/ST/N
Capacity: 338L	Refrigerant: R600a
Rated Power: 145W	
Shelves: 6 shelves	
Temperature range: 2-8°C / 8-22°C	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 80 / 85KG	
Product size(WxDxH): 598x535x1800mm	
Packing size(WxDxH): 660x640x1850mm	
Loading quantity (20/40/40HQ):	



NE-375

Zone: Single	Climate type: SN/ST/N
Capacity: 380L	Refrigerant: R600a
Rated Power: 150W	
Shelves: 6 shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 68 / 73KG	
Product size(WxDxH): 595x680x1420mm	
Packing size(WxDxH): 660x780x1480mm	
Loading quantity (20/40/40HQ):	



NE-376

Zone: Single	Climate type: SN/ST/N
Capacity: 450L	Refrigerant: R600a
Rated Power: 150W	
Shelves: 7 shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG	
Product size(WxDxH): 595x680x1800mm	
Packing size(WxDxH): 660x780x1850mm	
Loading quantity (20/40/40HQ):	



NE-377

Zone: Single	Climate type: SN/ST/N
Capacity: 325L	Refrigerant: R600a
Rated Power:145W	
Shelves: 7 shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 76 / 83KG	
Product size(WxDxH): 595x480x1785mm	
Packing size(WxDxH): 682x555x1840mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-378

Zone: Three	Climate type: SN/ST/N
Capacity: 450L	Refrigerant: R600a
Rated Power:150W	
Shelves: 9 shelves	
Temperature range: 5-12°C / 12-14°C / 12-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG	
Product size(WxDxH): 595x680x1800mm	
Packing size(WxDxH): 660x780x1850mm	
Loading quantity (20/40/40HQ): 27/54/54	



Single zone / Dual zone

0-22°C 2-8°C
8-22°C

Thin / Thick

530 mm 680 mm

NE-379/NE-379D

Zone: Dual	Climate type: SN/ST/N
Capacity: 270 / 380 L	Refrigerant: R600a
Rated Power:165W	
Shelves: 6 shelves	
Temperature range: Single:0-22°C Dual: 2-8°C / 8-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: Thick: 66 / 83KG Thin: 68 / 88KG	
Product size(WxDxH): 510*530*2000mm	
Packing size(WxDxH) 540*660*2050mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
505 mm 625 mm

NE-380

Zone: Single	Climate type: SN/ST/N
Capacity: 350L/475L	Refrigerant: R600a
Rated Power:150W	
Shelves: 6 shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG (101/114KG)	
Product size(WxDxH): 755x505/625x1785mm	
Packing size(WxDxH): 810x620/740x1950mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
505 mm 625 mm

NE-380D

Zone: Dual	Climate type: SN/ST/N
Capacity: 350L/475L	Refrigerant: R600a
Rated Power:175W	
Shelves: 2+8 shelves	
Temperature range: 2-8°C / 8-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG (101/114KG)	
Product size(WxDxH): 755x505/625x1785mm	
Packing size(WxDxH): 810x620/740x1950mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
510mm 635mm

NE-385

Zone: Dual	Climate type: SN/ST/N
Capacity: 350L/475L	Refrigerant: R600a
Bottles: 128 / 183	Rated Power:175W
Shelves: 8 shelves + 8 metal shelves	
Temperature range: 0-22℃ / 0-22℃	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG (101/114KG)	
Product size(WxDxH): 755x510/635x1785mm	
Packing size(WxDxH): 810x620/740x1950mm	
Loading quantity (20/40/40HQ):	



NE-386

Zone: Dual	Climate type: SN/ST/N
Capacity: 300 L	Refrigerant: R600a
Rated Power:165W	
Shelves: 7 shelves + 7 shelves	
Temperature range: 0-22℃ / 0-22℃	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 102/ 108 KG	
Product size(WxDxH): 900x515x1640mm	
Packing size(WxDxH): 960x620x1700mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
530 mm 680 mm

NE-387

Zone: Dual	Climate type: SN/ST/N
Capacity: 545/760L	Refrigerant: R600a
Rated Power:165W	
Shelves: 9+9 beech wood shelves	
Temperature range: 0-22℃ / 0-22℃	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 108/115KG (128 / 135 KG)	
Product size(WxDxH): 980x530/680x2000mm	
Packing size(WxDxH): 1040x660/790x2050mm	
Loading quantity (20/40/40HQ):	





NE-401

Rated Function:	60W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	0.7A	Net Capacity:	68L
Temperature Range:	5-18°C / 41-64 F	Bottle capacity:	20 Bottles
Net weight/ Gross weight:	26.3 / 29.3KG	Loading quantity (20/40/40HQ)	135 / 280 / 349
Product Size(WxDxH):	11.7"×22.6"×32.3"~34.3" / 298 ×575 × 820~870mm		
Packing Size(WxDxH):	13.2" ×25.8"×34.3"~ 35.4" / 335×655×870~900mm		

Wine Cooler



NE-402

Rated Function:	75W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	0.82A	Net Capacity:	96L
Temperature Range:	5-18°C / 41-64 F	Bottle capacity:	33 Bottles
Net weight/ Gross weight:	30 / 33KG	Loading quantity (20/40/40HQ)	105 / 224 / 260
Product Size(WxDxH):	14.7"×22.6"×34.2" / 375 ×575 × 870mm		
Packing Size(WxDxH):	17.5" ×26"× 36" / 445×660×915mm		

Wine Cooler



NE-402D

Rated Function:	75W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	0.82A	Net Capacity:	96L
Temperature Range:	5-12°C / 41-54 F 12-22°C / 54-72 F	Bottle capacity:	25 Bottles
Net weight/ Gross weight:	30 / 33KG	Loading quantity (20/40/40HQ)	105 / 224 / 260
Product Size(WxDxH):	14.7"×22.6"×34.2" / 375 ×575 × 870mm		
Packing Size(WxDxH):	17.5" ×26"× 36" / 445×660×915mm		



NE-403

Rated Function:	87W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	1.1A	Net Capacity:	130L
Temperature Range:	5-18℃ (41-64℉)	Bottle capacity:	41 Bottles
Net weight/ Gross weight:	42 / 48KG	Loading quantity (20/40/40HQ)	54 / 108 / 152
Product Size(WxDxH):	23.4"×22.2"×32.2~34.3" / 595 ×565 ×820~870mm		
Packing Size(WxDxH):	26.1" ×26.1"× 36.2" / 665×665×920mm		



NE-404

Rated Function:	87W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	1.1A	Net Capacity:	140L
Temperature Range:	5-18℃ (41-64℉)	Bottle capacity:	52 Bottles
Net weight/ Gross weight:	45 / 51KG	Loading quantity (20/40/40HQ)	54 / 108 / 152
Product Size(WxDxH):	23.4"×23.3"×34.3" / 595 ×590 ×870mm		
Packing Size(WxDxH):	26.1" ×26.1"× 36.2" / 665×665×920mm		



NE-403D

Rated Function:	87W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	1.1A	Net Capacity:	130L
Temperature Range:	5-12℃ (41-54℉) 12-22℃ (54-72℉)	Bottle capacity:	34 Bottles
Net weight/ Gross weight:	43 / 49KG	Loading quantity (20/40/40HQ)	54 / 108 / 152
Product Size(WxDxH):	23.4"×22.2"×32.2~34.3" / 595 ×565 ×820~870mm		
Packing Size(WxDxH):	26.1" ×26.1"× 36.2" / 665×665×920mm		



NE-404D

Rated Function:	87W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	1.1A	Net Capacity:	140L
Temperature Range:	5-12°C (41-54°F) 12-22°C (54-72°F)	Bottle capacity:	45 Bottles
Net weight/ Gross weight:	47 / 53KG	Loading quantity (20/40/40HQ)	54 / 108 / 152
Product Size(WxDxH):	23.4"×23.3"×34.3" / 595 ×590 ×870mm		
Packing Size(WxDxH):	26.1" ×26.1"× 36.2" / 665×665×920mm		



NE-408

Rated Function:	68W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	0.7A	Net Capacity:	110L
Temperature Range:	1-10°C (34-50°F) 5-18°C (41-64°F)	Bottle capacity:	40 Bottles
Net weight/ Gross weight:	47 / 53KG	Loading quantity (20/40/40HQ)	54 / 108 / 152
Product Size(WxDxH):	23.4"×22.6"×32.2~34.3" / 595 ×575 ×820~870mm		
Packing Size(WxDxH):	26.1" ×26.1"× 36.2" / 665×665×920mm		



NE-408A

Rated Function:	68W	Voltage Frequency:	220 50Hz / 110V 60Hz
Amperage:	0.7A	Net Capacity:	110L
Temperature Range:	1-10°C (34-50°F) 5-18°C (41-64°F)	Bottle capacity:	56cans+20Bottles
Net weight/ Gross weight:	47 / 53KG	Loading quantity (20/40/40HQ)	54 / 108 / 152
Product Size(WxDxH):	23.4"×22.6"×32.2~34.3" / 595 ×575 ×820~870mm		
Packing Size(WxDxH):	26.1" ×26.1"× 36.2" / 665×665×920mm		

NE-410

Zone: Single	Climate type: SN/ST/N
Capacity: 208L	Refrigerant: R600a
Bottles: 72 bottles	Rated Power: 125W
Shelves: 6+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 58 / 63KG	
Product size(WxDxH): 598x535x1250mm	
Packing size(WxDxH): 660x640x1300mm	
Loading quantity (20/40/40HQ): 36/80/98	



NE-411

Zone: Single	Climate type: SN/ST/N
Capacity: 308L	Refrigerant: R600a
Bottles: 103 bottles	Rated Power: 125W
Shelves: 8+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 68 / 73KG	
Product size(WxDxH): 598x535x1650mm	
Packing size(WxDxH): 660x640x1700mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-411A

Zone: Single	Climate type: SN/ST/N
Capacity: 338L	Refrigerant: R600a
Bottles: 114 bottles	Rated Power: 145W
Shelves: 8+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 80 / 85KG	
Product size(WxDxH): 598x535x1800mm	
Packing size(WxDxH): 660x640x1850mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-411D

Zone: Dual	Climate type: SN/ST/N
Capacity: 338L	Refrigerant: R600a
Bottles: 114 bottles	Rated Power: 145W
Shelves: 7+1 beech wood shelves	
Temperature range: 5-12°C / 12-22°C	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 80 / 85KG	
Product size(WxDxH): 598x535x1800mm	
Packing size(WxDxH): 660x640x1850mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-412

Zone: Single	Climate type: SN/ST/N
Capacity: 380L	Refrigerant: R600a
Bottles: 133 bottles	Rated Power: 150W
Shelves: 5+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 68 / 73KG	
Product size(WxDxH): 595x680x1420mm	
Packing size(WxDxH): 660x780x1480mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-413

Zone: Single	Climate type: SN/ST/N
Capacity: 450L	Refrigerant: R600a
Bottles: 166 bottles	Rated Power: 150W
Shelves: 7+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG	
Product size(WxDxH): 595x680x1800mm	
Packing size(WxDxH): 660x780x1850mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-413D

Zone: Dual	Climate type: SN/ST/N
Capacity: 450L	Refrigerant: R600a
Bottles: 166 bottles	Rated Power:150W
Shelves: 15+1 beech wood shelves	
Temperature range: 5-12°C / 12-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG	
Product size(WxDxH): 595x680x1800mm	
Packing size(WxDxH): 660x780x1850mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-413K

Zone: Three	Climate type: SN/ST/N
Capacity: 450L	Refrigerant: R600a
Bottles: 166 bottles	Rated Power:150W
Shelves: 7+1 beech wood shelves	
Temperature range: 5-12°C / 12-14°C / 12-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG	
Product size(WxDxH): 595x680x1800mm	
Packing size(WxDxH): 660x780x1850mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-415

Zone: Single	Climate type: SN/ST/N
Capacity: 325L	Refrigerant: R600a
Bottles: 112 bottles	Rated Power:145W
Shelves: 15+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 76 / 83KG	
Product size(WxDxH): 595x480x1785mm	
Packing size(WxDxH): 682x555x1840mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-415D

Zone: Dual	Climate type: SN/ST/N
Capacity: 325L	Refrigerant: R600a
Bottles: 112 bottles	Rated Power:145W
Shelves: 15+1 beech wood shelves	
Temperature range: 5-12°C / 12-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 76 / 83KG	
Product size(WxDxH): 595x480x1785mm	
Packing size(WxDxH): 682x555x1840mm	
Loading quantity (20/40/40HQ): 27/54/54	



NE-416

Zone: Single	Climate type: SN/ST/N
Capacity: 150L	Refrigerant: R600a
Bottles: 51 bottles	Rated Power:125W
Shelves: 6+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 53 / 58KG	
Product size(WxDxH): 470x530x1640mm	
Packing size(WxDxH): 500x550x1700mm	
Loading quantity (20/40/40HQ):	




Single zone / Dual zone Thick / Thin
0-22°C 2~8°C 530 mm 700 mm
8~22°C

NE-417/NE-418

Zone: Single	Climate type: SN/ST/N
Capacity: 270/380L	Refrigerant: R600a
Bottles: 81/137	Rated Power:165W
Shelves: 8+1 beech wood shelves	
Temperature range: 0-22°C (41-72°F)	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 66 / 83KG (68 / 88KG)	
Product size(WxDxH): 510x530/680x2000mm	
Packing size(WxDxH): 570x620/790x2050mm	
Loading quantity (20/40/40HQ):	





Wine Cooler



NE-420

Zone: Single	Climate type: SN/ST/N	Voltage: 220-240V/50Hz,110-120V/60Hz
Capacity: 56 L	Refrigerant: R600a	Net weight/Gross weight: 28 / 32KG
Bottles: 24 bottles	Rated Power:85W	Product size(WxDxH): 592x560x460mm
Shelves: 3 beech wood shelves		Packing size(WxDxH): 660x640x526mm
Temperature range: 5-18°C		Loading quantity (20/40/40HQ): 121/260/270

Wine Cooler

NE-421

Zone: Dual	Climate type: SN/ST/N
Capacity: 130 L	Refrigerant: R600a
Bottles: 48 bottles	Rated Power:100W
Shelves: 4+1 beech wood shelves	
Temperature range: 5-12°C / 1 2-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 44 / 49KG	
Product size(WxDxH): 592x555x885mm	
Packing size(WxDxH): 660x640x951mm	
Loading quantity (20/40/40HQ): 64/138/150	



NE-422

Zone: Three	Climate type: SN/ST/N
Capacity: 220L	Refrigerant: R600a
Bottles: 62 bottles	Rated Power:130W
Shelves: 7+1 beech wood shelves	
Temperature range: 5-12°C/1 2-14°C/14-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 68 / 73KG	
Product size(WxDxH): 592x555x1234mm	
Packing size(WxDxH): 660x640x1300mm	
Loading quantity (20/40/40HQ):	



NE-423

Zone: Dual	Climate type: SN/ST/N
Capacity: 325 L	Refrigerant: R600a
Bottles: 99 bottles	Rated Power:145W
Shelves: 15+1 beech wood shelves	
Temperature range: 5-12°C / 12-22°C	
Voltage: 220-240V/50Hz,110-120V/60Hz	
Net weight/Gross weight: 76 / 83KG	
Product size(WxDxH): 625x481x1785mm	
Packing size(WxDxH): 712x555x1840mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
505 mm 625 mm

NE-425

Zone Single	Climate type: SN/ST/N
Capacity: 350L/475L	Refrigerant: R600a
Bottles 128 / 183	Rated Power: 150W
Shelves: 15+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG (101/114KG)	
Product size(WxDxH): 755x505/625x1785mm	
Packing size(WxDxH): 810x620/740x1950mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
505 mm 625 mm

NE-425D

Zone: Dual	Climate type: SN/ST/N
Capacity: 350L/475L	Refrigerant: R600a
Bottles 128 / 183	Rated Power: 175W
Shelves: 15+1 beech wood shelves	
Temperature range: 2-8°C / 8-22°C	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG (101/114KG)	
Product size(WxDxH): 755x505/625x1785mm	
Packing size(WxDxH): 810x620/740x1950mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
505 mm 625 mm

NE-425J

Zone: Dual	Climate type: SN/ST/N
Capacity: 350L/475L	Refrigerant: R600a
Bottles 112 / 183	Rated Power: 175W
Shelves: 8+8 beech wood shelves	
Temperature range: 0-22°C / 0-22°C	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG (101/114KG)	
Product size(WxDxH): 755x505/625x1785mm	
Packing size(WxDxH): 810x620/740x1950mm	
Loading quantity (20/40/40HQ):	



NE-425K

Zone: Dual	Climate type: SN/ST/N
Capacity: 350L/475L	Refrigerant: R600a
Bottles: 60+154 Can	Rated Power: 175W
Shelves: 4 shelves+2 drawers	
Temperature range: 5-22°C / 1-22°C	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 90 / 98KG	
Product size(WxDxH): 755x530x1780mm	
Packing size(WxDxH): 810x645x1950mm	
Loading quantity (20/40/40HQ):	



NE-426

Zone: Dual	Climate type: SN/ST/N
Capacity: 300 L	Refrigerant: R600a
Bottles: 106 bottles	Rated Power: 165W
Shelves: 8+8 beech wood shelves	
Temperature range: 0-22°C / 0-22°C	
Voltage: 220-240V/50Hz, 110-120V/60Hz	
Net weight/Gross weight: 102 / 108 KG	
Product size(WxDxH): 900x515x1640mm	
Packing size(WxDxH): 960x620x1700mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
530 mm 680 mm

NE-427

Zone: Single	Climate type: SN/ST/N
Capacity: 645/870L	Refrigerant: R600a
Bottles 189/341	Rated Power: 165W
Shelves: 8+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz 110-120V/60Hz	
Net weight/Gross weight: 108/115KG (128 / 135 KG)	
Product size(WxDxH): 980x530/680x2000mm	
Packing size(WxDxH): 1040x660/790x2050mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
530 mm 680 mm

NE-427S

Zone Single	Climate type: SN/ST/N
Capacity: 645/870L	Refrigerant: R600a
Bottles 189/341	Rated Power: 165W
Shelves: 8+1 beech wood shelves	
Temperature range: 5-22°C (41-72°F)	
Voltage: 220-240V/50Hz 110-120V/60Hz	
Net weight/Gross weight: 108/115KG (128 / 135 KG)	
Product size(WxDxH): 980x530/680x2000mm	
Packing size(WxDxH): 1040x660/790x2050mm	
Loading quantity (20/40/40HQ):	



Wine Cooler / Beverage cooler

Thin / Thick
530 mm 680 mm

NE-427D


Zone: Dual	Climate type: SN/ST/N
Capacity: 545/760L	Refrigerant: R600a
Bottles 189/341	Rated Power: 165W
Shelves: 9+9 beech wood shelves	
Temperature range: 0-22°C / 0-22°C	
Voltage: 220-240V/50Hz 110-120V/60Hz	
Net weight/Gross weight: 108/115KG (128 / 135 KG)	
Product size(WxDxH): 980x530/680x2000mm	
Packing size(WxDxH): 1040x660/790x2050mm	
Loading quantity (20/40/40HQ):	



Thin / Thick
530 mm 680 mm

NE-427K


Zone: four	Climate type: SN/ST/N
Capacity: 545/760L	Refrigerant: R600a
Bottles 189/341	Rated Power: 165W
Shelves: 9 beech wood shelves + 6	
Temperature range: 2-8 °C / 8-22 °C / 2-8 °C / 8-22 °C	
Voltage: 220-240V/50Hz 110-120V/60Hz	
Net weight/Gross weight: 108/115KG (128 / 135 KG)	
Product size(WxDxH): 980x530/680x2000mm	
Packing size(WxDxH): 1040x660/790x2050mm	
Loading quantity (20/40/40HQ):	





NE-204

Volume: 16L
Voltage: 220-240V/50Hz, 110-120V/60Hz
Bottles: 6 bottles
Total power: 55W
Total current: 0.46A
Power consumption: 0.46Kw.h/24h
Temperature: 8-18°C
Product size: 258*502*400MM
Packing size: 306*558*455MM
Cabinet Quantity: 20/40GP/40HQ: 380/780/885
Net weight/gross weight: 8KG/9KG




NE-205

Volume: 23L
Voltage: 220-240V/50Hz, 110-120V/60Hz
Bottles: 8 bottles
Total power: 55W
Total current: 0.46A
Power consumption: 0.46Kw.h/24h
Temperature: 8-18°C
Product size: 258*502*465MM
Packing size: 306*558*520MM
Cabinet Quantity: 20/40GP/40HQ: 344/672/780
Net weight/gross weight: 9.35KG/10.63KG



NE-206

Volume: 33L
Voltage: 220-240V/50Hz, 110-120V/60Hz
Bottles: 12 bottles
Total power: 55W
Total current: 0.46A
Power consumption: 0.46Kw.h/24h
Temperature: 8-18°C
Product size: 258*502*650MM
Packing size: 306*558*705MM
Cabinet Quantity: 20/40GP/40HQ: 228/468/585
Net weight/gross weight: 11.68KG/13.18KG



NE-208

Volume: 46L
Voltage: 220-240V/50Hz, 110-120V/60Hz
Bottles: 18 bottles
Total power: 55W
Total current: 0.46A
Power consumption: 0.46Kw.h/24h
Temperature: 8-18°C
Product size: 345*508*620MM
Packing size: 394*560*670MM
Net weight/gross weight: 15KG/17KG





CHANGZHOU FENFEI TECHNOLOGY CO.,LTD

**BANSHANG STREET,LIJIA,WUJIN DISTRICT,CHANGZHOU CITY,
JIANGSU PROVINCE,CHINA,213165**

TEL: +86 519 86731588

www.NUELEAD.com

Email: leo@nuelead.com